CollinsInkjet

Issuing Date 14-May-2015

Safety Data Sheet

Revision Number 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Revision date 14-May-2015

Product identifier **Product name**

CM-500 RED

Other means of identification Product Code(s) Synonyms

CM-500 No information available Item Numbers: 5780201-R, 5780201FX-R, 5780237-R, 5780237FX-R

Category 1

Recommended use of the chemical and restrictions on use Recommended Use ink. Uses advised against No information available

Details of the supplier of the safety data sheet Manufacturer: Collins Inkjet Corporation 1201 Edison Drive Cincinnati, Ohio 45216 PH: 513-948-9000 Info@collinsinkjet.com Emergency telephone number Chemtrec 1-800-424-9300

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization

Label Elements

WARNING

EMERGENCY OVERVIEW



Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label) IF ON SKIN: Wash with plenty of soap and water

.

CM-500 CM-500 RED

If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

OTHER INFORMATION

Harmful to aquatic life

3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %	Trade secret
Ethyl alcohol	64-17-5	0.1 - <2	*
Isothiazolin Derivative	Proprietary	0.1 - <1	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

NOTE

Remaining components are either not hazardous or below threshold limits.

	4. First aid measures
FIRST AID MEASURES	
General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Immediate medical attention is not required.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
IF ON SKIN	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. Wash off immediately with soap and plenty of water.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required Rinse mouth.
Self-protection of the first aider	Use personal protective equipment as required.
Most important symptoms and eff	ects, both acute and delayed
Most Important Symptoms and Effects	Hives.
Indication of any immediate medi	cal attention and special treatment needed
Notes to Physician	May cause sensitization of susceptible persons. Use of epinephrine may be indicated.
	5. Fire-fighting measures

Suitable extinguishing media

Use Carbon dioxide (CO2) Dry chemical Alcohol resistant foam

Unsuitable extinguishing media None.

Specific hazards arising from the chemical

Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact.

Explosion data

Sensitivity to Mechanical Impact No information available. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

	6. Accidental release measures	
Personal precautions, protectiv	e equipment and emergency procedures	
Personal precautions Use personal protective equipment as required. Avoid contact with skin and eyes.		
OTHER INFORMATION	OTHER INFORMATION.	
Environmental precautions		
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.	
Methods and material for contai	nment and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	After cleaning, flush away traces with water. Soak up with inert absorbent material. Pick u and transfer to properly labeled containers. Prevent product from entering drains.	
	7. Handling and Storage	
Precautions for safe handling		
Handling	Use personal protective equipment as required. Ensure adequate ventilation.	
Conditions for safe storage, incl	luding any incompatibilities	
Storage	Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place.	
ncompatible Products	Strong oxidizing agents.	
	8. Exposure Controls/Personal Protection	

Control parameters

Exposure guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	1000 ppm STEL	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas. Showers. Eyewash stations.

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Tight sealing safety goggles.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state	liquid		
Appearance	red	Odor	Acrylic
color	No information available	Odor Threshold	No information available
Property	Values	Remarks/ • Method	
pH	9 - 11		
Melting point / freezing point			
Boiling point/range (°C) VALUE	No information available		
Flash Point	> 100 °C	Seta closed cup	
Evaporation Rate	No information available		
flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper Flammability Limit	No information available		
Lower Flammability Limit	No information available		
Vapor Pressure	No information available		
Vapor Density	No information available		
Specific gravity	0.9 - 1.1	None known	
Water solubility	Soluble in water		
Solubility in other solvents	No information available		
Partition coefficient: n-octanol/wa	terNo information available		
Autoignition temperature	>200 °C		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
OTHER INFORMATION			
Softening point	No information available		
Molecular weight	No information available		
VOC Content	No information available		
Density	No information available		
Bulk density	No information available		

10. Stability and Reactivity

Reactivity No data available

<u>Chemical stability</u> Stable under normal conditions. <u>Possibility of hazardous reactions</u> None under normal processing. Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid Extremes of temperature and direct sunlight. Incompatible materials Strong oxidizing agents. Hazardous decomposition products Carbon oxides.

11. Toxicological Information

Information on likely routes of exposure

Product Information	The product has not been tested
Inhalation	May cause irritation of respiratory tract. Avoid breathing vapors or mists.
Eye contact	Contact with eyes may cause irritation. Avoid contact with eyes.
IF ON SKIN	May cause irritation. Avoid contact with skin.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts. May be harmful if swallowed. Do NOT taste or swallow.

Oral LD50	Dermal LD50	Inhalation LC50
= 7060 mg/kg (Rat)		= 124.7 mg/L (Rat) 4 h
= 1020 mg/kg (Rat)	-	-
	= 7060 mg/kg (Rat)	= 7060 mg/kg (Rat)

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

irritation May cause irritation of respiratory tract. May cause skin and eye irritation. Sensitization May cause an allergic skin reaction. **Mutagenic effects** No information available. Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains Ethanol which is classified as a possible carcinogen when ingested in the form of an alcoholic beverage. This is irrelevant as this product is used for ink jet ink applications not an alcoholic beverage

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	-	Group 1	Known	X

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
NTP: (National Toxicity Program)

Known - Known Carcinogen

Reproductive toxicity

Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	

DT - repeated exposure Chronic toxicity

Contains a known or suspected reproductive toxin. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. Target organ effects

blood, Central Nervous System (CNS), EYES, liver, Reproductive System, Respiratory System, skin. No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

AIEmix (oral)	65982 mg/kg
ATEmix (dermal)	112412 mg/kg
ATEmix (inhalation-dust/mist)	9692.6 mg/l

12. Ecological Information

ecotoxicity

Aspiration hazard

5.67972045% of the	mixture consists of com	ponents(s) of unknown	hazards to the aquatic environment
--------------------	-------------------------	-----------------------	------------------------------------

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Ethyl alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

No information available.

Chemical name	Log Pow
Ethyl alcohol 64-17-5	-0.32
Isothiazolin Derivative	1.3

13. Disposal Considerations

Disposal should be in accordance with applicable regional, national and local laws and

Other adverse effects

No information available

regulations.

Waste treatment methods

Waste treatment methods

Contaminated packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Ethyl alcohol 64-17-5	Toxic; Ignitable

14. Transport Information

International Inventor	15. Regulatory Information	
<u>ADN</u>	Not regulated	
ADR	Not regulated	
RID	Not regulated	
IMDG/IMO	Not regulated	
	Not regulated	
ICAO	Not regulated	
MEX	Not regulated	
TDG	Not regulated	
DOT	Not regulated	

Chemical name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethyl alcohol 64-17-5	X	X	X	х	Х	Х	Х	Х
lsothiazolin Derivative	X	×	X	x	Х	Х	Х	Х

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Category 1
Category 1
No
No
No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Prop. 65		
Ethyl alcohol - 64-17-5	Carcinogen		
	Developmental		

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	X	X

U.S. EPA Label Information

EPA Pesticide registration number Not applicable

16. Other Information					
NFPA	Health hazard 1	flammability 1	Instability 0	Physical and chemical	
HMIS	Health hazard 1	flammability 1	Physical hazards 0	properties - Personal precautions X	

CM-500 CM-500 RED

Prepared by

Issuing Date Revision date Revision note No information available Disclaimer Collins Inkjet Corporation 1201 Edison Drive Cincinnati, Ohio 45216 14-May-2015 14-May-2015

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet