

Safety Data Sheet

Revision date 19-Mar-2015

Revision Number 1

1. Identification of the Substance/Preparation and of the Company/Undertaking

Product identifier

Product name

Solv Jet

Other means of identification

Product Code(s)

TSK247703

Synonyms

No information available

Item Numbers: 5780212, 5780212FX,

5780239, 5780239FX

Recommended use of the chemical and restrictions on use

Recommended Use

ink.

Uses advised against

No information available

Details of the supplier of the safety data sheet

Manufacturer:

Collins Inkjet Corporation 1201 Edison Drive Cincinnati, Ohio 45216 PH: 513-948-9000 Info@collinsinkjet.com

Emergency telephone number

Chemtrec 1-800-424-9300

2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3	
Acute toxicity - Dermal	Category 3	
Acute toxicity - Inhalation (Dusts/Mists)	Category 4	
Serious eye damage/eye irritation	Category 1	
Carcinogenicity	Category 1B	
Specific target organ toxicity (single exposure)	Category 1	
Flammable Liquids	Category 2	

Label elements

EMERGENCY OVERVIEW

DANGER

Hazard statements

Toxic if swallowed
Toxic in contact with skin
Harmful if inhaled
Causes serious eye damage
May cause cancer

Causes damage to organs

Highly flammable liquid and vapor









Appearance black

Physical state liquid

Odor solvent

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/ .? /equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Specific measures (see supplemental first aid instructions on this label)

IF exposed: Call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Call a POISON CENTER or doctor/physician if you feel unwell

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

OTHER INFORMATION

- · Toxic to aquatic life with long lasting effects
- · Toxic to aquatic life

3. Composition/information on Ingredients

Chemical name	CAS-No	Weight %	Trade secret
Ethyl alcohol	64-17-5	25 - 50	*
Methyl alcohol	67-56-1	35 - 60	*
Black Dye	NOT AVAILABLE	1 - 10	*
Ester	Proprietary	1 - 5	*
Ketone	Proprietary	1 - 5	*
Isopropyl alcohol	67-63-0	1 - 5	*
Naphthalene	91-20-3	0.1 - <1	*
2-Naphthol	135-19-3	0.1 - <1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

TSK247703 Solv Jet

Revision date 19-Mar-2015

NOTE

Remaining components are either not hazardous or below threshold limits.

4. First aid measures

FIRST AID MEASURES

General advice Immediate medical attention is required. In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible). If symptoms persist, call a

physician.

Eye contact Keep eye wide open while rinsing. Immediately flush with plenty of water. After initial

flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately. Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician. If symptoms persist, call a physician.

IF ON SKIN Wash off immediately with plenty of water. Immediate medical attention is not required.

Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Immediate medical attention is required. Remove to fresh air. If not breathing, give artificial

respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, give oxygen. Move to fresh air in case of accidental inhalation of

vapors. If symptoms persist, call a physician.

Ingestion Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a

physician or poison control center immediately. Drink plenty of water. Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting without medical advice.

Consult a physician.

Self-protection of the first aider Remove all sources of ignition. Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Effects

Hives.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. Fire-fighting measures

Suitable extinguishing media

Use Carbon dioxide (CO2) Dry chemical Water spray, fog or alcohol-resistant foam

Unsuitable extinguishing media Decomposition by contact with water may generate vapors which can be ignited by heat or

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate Personal precautions

ventilation. Use personal protective equipment as required. Keep people away from and

upwind of spill/leak.

Environmental precautions

Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. Beware of vapors accumulating to

form explosive concentrations. Vapors can accumulate in low areas.

Methods and material for containment and cleaning up

Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or Methods for containment

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal Methods for cleaning up

binder, sawdust). Pick up and transfer to properly labeled containers. Soak up with inert

absorbent material.

7. Handling and Storage

Precautions for safe handling

Handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Use only in an area containing flame proof equipment. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Use with local exhaust ventilation. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage

Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep

containers tightly closed in a cool, well-ventilated place.

Incompatible Products

Strong oxidizing agents. Acids. Chlorinated compounds. Strong acids.

8. Exposure Controls/Personal Protection

Control parameters

Evaceure quidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	1000 ppm STEL	TWA: 1000 ppm TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³
Methyl alcohol 67-56-1	250 ppm STEL TWA: 200 ppm	TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
Ketone	750 ppm STEL TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m ³	IDLH: 2500 ppm TWA: 250 ppm TWA: 590 mg/m ³
Isopropyl alcohol 67-63-0	400 ppm STEL TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tight sealing safety goggles. Face protection shield.

Skin and body protection Chemical resistant apron.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures When using do not eat or drink. Regular cleaning of equipment, work area and clothing is

recommended.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state

liquid

Appearance color

black

No information available

Odor **Odor Threshold**

Remarks/ • Method

Seta closed cup

None known

solvent

No information available

Property Values 5 - 7

pH

Melting point / freezing point

Boiling point / boiling range Flash Point

75 °C < 17 °C

Evaporation Rate flammability (solid, gas)

No information available No information available

Flammability Limit in Air

Vapor Density

Upper Flammability Limit Lower Flammability Limit Vapor Pressure

11.5 (volume % in Air) 1.8 (volume % in Air) No information available No information available

Specific gravity 0.700 - 0.900

Water solubility Practically insoluble (~0.4 ug/mL)

Solubility in other solvents No information available Partition coefficient: n-octanol/waterNo information available Autoignition temperature No information available Decomposition temperature No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

OTHER INFORMATION

Softening point No information available Molecular weight No information available **VOC Content** No information available Density No information available **Bulk density** No information available

10. Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heating in air. Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents. Acids. Chlorinated compounds. Strong acids.

Hazardous decomposition products

Carbon oxides.

11. Toxicological Information

Information on likely routes of exposure

Product Information The product has not been tested

Inhalation Toxic by inhalation. Avoid breathing vapors or mists. Aspiration into lungs can produce

severe lung damage. Toxic: danger of very serious irreversible effects through inhalation.

Harmful: possible risk of irreversible effects through inhalation.

Eye contact Irritating to eyes. Avoid contact with eyes. May cause irritation. May cause irreversible

damage to eyes.

IF ON SKIN Avoid contact with skin. Toxic in contact with skin. Toxic: Danger of very serious irreversible

effects in contact with the skin. Harmful: Possible risk of irreversible effects in contact with

the skin.

Ingestion Toxic if swallowed. Do NOT taste or swallow. Toxic: danger of very serious irreversible

effects if swallowed. Harmful: possible risk of irreversible effects if swallowed.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h
Methyl alcohol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat)8 h = 64000 ppm (Rat)4 h
Ester	= 1540 mg/kg(Rat)		> 5100 mg/m³ (Rat) 4 h
Ketone	= 5800 mg/kg (Rat)	-	= 50100 mg/m³ (Rat) 8 h
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat) 4 h
Naphthalene 91-20-3	= 1110 mg/kg (Rat) = 490 mg/kg Rat)	= 1120 mg/kg(Rabbit)> 20 g/kg(Rabbit)	> 340 mg/m³ (Rat) 1 h
2-Naphthol 135-19-3	= 1320 mg/kg (Rat)	> 10 g/kg (Rabbit)	= 2.2 mg/L (Rat) 4 h > 770 mg/m ³ (Rat) 1 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

irritation Irritating to eyes, respiratory system and skin.

Sensitization No information available.

Mutagenic effects No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

arcinogenicity		OW Indicates Whether eder		OSHA
Chemical name	ACGIH	IARC	NTP	USHA
Ethyl alcohol 64-17-5		Group 1	Known	X
Isopropyl alcohol 67-63-0	-	Group 3	-	×

Naphthalene				
prapritrialene	1 -	Group 2A	Doogoonably Anticipated	
04.00.0		Oloup ZA	Reasonably Anticipated	X
91-20-3		Group 2B		
1400 // // //		Group ZB	_ 1	

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans

NTP: (National Toxicity Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Known - Known Carcinogen

Reproductive toxicity

May impair fertility.

STOT - single exposure STOT - repeated exposure

No information available. No information available.

Chronic toxicity

Avoid repeated exposure. Possible risks of irreversible effects. May impair fertility. Contains

a known or suspected reproductive toxin.

Target organ effects

liver, Respiratory System, EYES, skin, Central Nervous System (CNS), blood, Reproductive

System, Gastrointestinal tract (GI).

Aspiration hazard

No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

258 mg/kg

ATEmix (dermal)

788 mg/kg

ATEmix (inhalation-dust/mist)

1.3 mg/l

12. Ecological Information

ecotoxicity

0.825% of the mixture consists of components(s) of unknown hazards to the aquatic environment Chemical name **Toxicity to Algae** Toxicity to Fish Daphnia Magna (Water Flea) Ethyl alcohol 12.0 - 16.0: 96 h Oncorhynchus 9268 - 14221: 48 h Daphnia 64-17-5 mykiss mL/L LC50 static 13400 magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 15100: 96 h Pimephales promelas mg/L LC50 flow-through h Daphnia magna mg/L EC50 100: 96 h Pimephales promelas Static mg/L LC50 static Methyl alcohol 28200: 96 h Pimephales 67-56-1 promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 19500 - 20700 96 h Oncorhynchus mykiss mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through Ester 360: 72 h Desmodesmus 220 - 460: 96 h Leuciscus idus 500: 48 h Daphnia magna Straus subspicatus mg/L EC50 79: 96 h mg/L LC50 static mg/L EC50 Desmodesmus subspicatus mg/L EC50 Ketone 4.74 - 6.33: 96 h Oncorhynchus 10294 - 17704: 48 h Daphnia mykiss mL/L LC50 6210 - 8120: magna mg/L EC50 Static 12600 96 h Pimephales promelas mg/L 12700: 48 h Daphnia magna LC50 static 8300: 96 h Lepomis mg/L EC50 macrochirus mg/L LC50 Isopropyl alcohol 1000: 96 h Desmodesmus 13299: 48 h Daphnia magna 9640: 96 h Pimephales promelas 67-63-0 subspicatus mg/L EC50 1000: 72 ma/L LC50 flow-through mg/L EC50 h Desmodesmus subspicatus 1400000: 96 h Lepomis mg/L EC50 macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static Naphthalene 0.4: 72 h Skeletonema costatum 5.74 - 6.44: 96 h Pimephales 2.16: 48 h Daphnia magna mg/L 91-20-3 ma/L FC50 LC50 1.96: 48 h Daphnia magna promelas mg/L LC50 flow-through 1.6: 96 h Oncorhynchus mykiss mg/L EC50 Flow through 1.09 mg/L LC50 flow-through 0.91 -3.4: 48 h Daphnia magna mg/L

2.82: 96 h Oncorhynchus mykiss

EC50 Static

		mg/L LC50 static 1.99: 96 h Pimephales promelas mg/L LC50 static 31.0265: 96 h Lepomis macrochirus mg/L LC50 static	
2-Naphthol	18.8: 4 h Pseudokirchneriella	2.43 - 3.9: 96 h Pimephales	3.17 - 3.95: 48 h Daphnia magna
135-19-3	subcapitata mg/L EC50	promelas mg/L LC50 static	mg/L LC50

Persistence and degradability No information available.

Bioaccumulation/Accumulation

No information available.

Chemical name	Log Pow
Ethyl alcohol 64-17-5	-0.32
Methyl alcohol 67-56-1	-0.77
Ester	-0.566
Ketone	-0.24
Isopropyl alcohol 67-63-0	0.05
Naphthalene 91-20-3	3.3
2-Naphthol 135-19-3	2.84

Other adverse effects

No information available

13. Disposal Considerations

Waste treatment methods

Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations. Should not be released into the environment. This material, as supplied, is a hazardous waste according to federal regulations (40 CFR 261).

Contaminated packaging

Do not re-use empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1	-	Included in waste stream: F039	-	Ignitable waste
Ketone	-	Included in waste stream: F039	-	Ignitable waste
Naphthalene 91-20-3	waste number U165	Included in waste streams: F024, F025, F034, F039, K001, K035, K060, K087, K145	-	-

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Naphthalene 91-20-3	-	-	Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths	

ranging from one to and
including five, with varying
amounts and positions of
chlorine substitution.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Ethyl alcohol 64-17-5	Toxic; Ignitable
Methyl alcohol 67-56-1	Toxic; Ignitable
Ketone	Ignitable
Isopropyl alcohol 67-63-0	Toxic, Ignitable
Naphthalene 91-20-3	Toxic

14. Transport Information

DOT Not regulated

TDG Not regulated

MEX Not regulated

ICAO Not regulated

IATA

UN-No UN1210
Hazard Class 3
Packing group II

IMDG/IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

15. Regulatory information

International Inventories

Chemical name	TSCA	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Ethyl alcohol 64-17-5	Х	X	X	X	X	X	Х	Х
Methyl alcohol 67-56-1	Х	X	X	Х	Х	Х	Х	Х
Ester	X	X	Х	Х	Х	X	Х	Х
Ketone	Х	X	Х	Х	Х	X	Х	X
sopropyl alcohol 67-63-0	×	Х	Х	Х	Х	Х	X	Х
Naphthalene 91-20-3	Х	X	Х	Х	Х	Х	X	Х
2-Naphthol 135-19-3	Х	X	Х	Х	Х	Х	Х	Х

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %		
Methyl alcohol - 67-56-1	1.0		
Isopropyl alcohol - 67-63-0	1.0		
Naphthalene - 91-20-3	0.1		

SARA 311/312 Hazard Categories

Acute health hazard	Category 1
Chronic Health Hazard	Category 1
Fire hazard	Category 1
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name		eportable ntities	CWA - Toxic Pollutant	cwa - Priority	Pollutants	 A - Hazardous Substances
Naphthalene 91-20-3		0 lb	Х	Х		Х
Chemical name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 C Deplet	Class 2 Ozone Depletors
Methyl alcohol	67-56-1	35 - 60	Present	Group IV		
Ester		1 - 5		Group I		
Ketone		1 - 5		Group I		
Naphthalene	91-20-3	0.1 - <1	Present	Group IV		
2-Naphthol	135-19-3	0.1 - <1		Group IV		

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Methyl alcohol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Ketone	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Naphthalene 91-20-3	1 lb	-	RQ 1 lb final RQ RQ 0.454 kg final RC

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Prop. 65
Ethyl alcohol - 64-17-5	Carcinogen
Eury alcohol 64 17 6	Developmental
Methyl alcohol - 67-56-1	Developmental
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	X	X	X
Methyl alcohol 67-56-1	X	X	X
Ketone	X	X	Х
Isopropyl alcohol 67-63-0	Х	X	Х
Naphthalene 91-20-3	X	X	X

U.S. EPA Label Information

EPA Pesticide registration number Not applicable

16. Other information						
NFPA	Health hazard 3	flammability 3	Instability 0	Physical and chemical		
HMIS	Health hazard 3	flammability 3	Physical hazards 0	properties - Personal precautions X		

Issuing Date 19-Mar-2015 Revision date 19-Mar-2015

Revision note No information available

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet